

Naval Postgraduate School  
Monterey, California 93943-5138

NPS-09-02-022



# ***SUMMARY OF RESEARCH 2001***



**Department of Applied Mathematics  
Graduate School of Engineering and Applied Sciences**

**Michael A. Morgan  
Chair**

**Carlos Borges  
Associate Chair for Research**

Approved for public release; distribution is unlimited  
Prepared for: Naval Postgraduate School  
Monterey, CA 93943-5000

**20030709 036**

**NAVAL POSTGRADUATE SCHOOL**  
**Monterey, California**

RADM David R. Ellison, USN  
Superintendent

Richard Elster  
Provost

This report was prepared for the Naval Postgraduate School, Monterey, CA.


Reproduction of all or part of this report is authorized.

Reviewed by:



Danielle Kuska  
Director, Research Administration

Released by:



David W. Netzer  
Associate Provost and  
Dean of Research

**REPORT DOCUMENTATION PAGE**Form approved  
OMB No 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

**1. AGENCY USE ONLY (Leave blank)****2. REPORT DATE**  
September 2002**3. REPORT TYPE AND DATES COVERED**  
Summary Report, 1 October 2000-30 September 2001**4. TITLE AND SUBTITLE**

Summary of Research 2001, Department of Applied Mathematics

**5. FUNDING****6. AUTHOR(S)**

Faculty of the Naval Postgraduate School

**7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)**Naval Postgraduate School  
Monterey, CA 93943-5000**8. PERFORMING ORGANIZATION  
REPORT NUMBER**

NPS-09-02-022

**9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)**Naval Postgraduate School  
Monterey, CA 93943-5000**10. SPONSORING/MONITORING  
AGENCY REPORT NUMBER****11. SUPPLEMENTARY NOTES**

The views expressed in this report are those of the authors and do not reflect the official policy or position of the Department of Defense or U.S. Government.

**12a. DISTRIBUTION/AVAILABILITY STATEMENT**

Approved for public release; distribution is unlimited

**12b. DISTRIBUTION CODE**

A

**13. ABSTRACT (Maximum 200 words.)**

This report contains project summaries of the research projects in the Department of Applied Mathematics. A list of recent publications is also included, which consists of conference presentations and publications, books, contributions to books, published journal papers, and technical reports. Thesis abstracts of students advised by faculty in the Department are also included.

**14. SUBJECT TERMS****15. NUMBER OF  
PAGES**

40

**16. PRICE CODE****17. SECURITY CLASSIFICATION  
OF REPORT**

Unclassified

**18. SECURITY CLASSIFICATION  
OF THIS PAGE**

Unclassified

**19. SECURITY CLASSIFICATION  
OF ABSTRACT**

Unclassified

**20. LIMITATION OF  
ABSTRACT**

Unlimited

## THE NAVAL POSTGRADUATE SCHOOL MISSION

Increase the combat effectiveness of the U.S. and allied forces and enhance the security of the U.S.A. through advanced education and research programs focused on the technical, analytical, and managerial tools needed to confront defense related challenges of the future.



## TABLE OF CONTENTS

Preface .....	xi
Introduction .....	xiii
Department Summary .....	3
Faculty Listing .....	5
Project Summaries .....	7
Total Least Squares Fitting of Ordered Data with Polynomial Splines .....	7
Research in the Structural Dynamic Response of the RAH-66 Commanche Helicopter .....	7
Efficient Trajectory Optimization .....	8
Depletion Lengths in Semiconductor Nanostructures .....	8
Efficient Nonlinear Transient Dynamic Analysis for Structural Optimization	
Using an Exact Integral Equation Formulation .....	9
Coordinated Formation and Attitude Control of Multi-Satellite Systems .....	10
Visible Sets and Its Manufacturing Applications .....	10
Galerkin Spectral Synthesis Methods .....	11
Orbit Determination .....	11
Publications and Presentations .....	13
Thesis Abstracts .....	17
An Algorithm for Enumerating the Near-Minimum Weight $S$ - $T$ Cuts of a Graph .....	19
Revisiting the Battle of the Little Big Horn .....	19
Lossless Compression Using Binary Necklace Classes and Multiple Huffman Trees .....	20
Finite Element Modeling of the RAH-66 Comanche Helicopter Tailcone Section	
Using PATRAN and DYTRAN .....	20
A Numerical Study of Fuel-Optimal Low-Earth-Orbit Maintenance .....	21
A Comprehensive Statistical Analysis of Substance Abuse Patterns	
and Trends within the United States Army .....	21
Computerized Ballistic Modeling of the Comanche Tailfan Shroud .....	22
Attractor Basins of Various Root-Finding Methods .....	22
Reducing Non-Monotonicities in Combat Models .....	23
Magnetic Field Estimation Using Optimal Locations of Near Field Sensors .....	23
Initial Distribution List .....	25

## PREFACE

---

Research at the Naval Postgraduate School is carried out by faculty in the four graduate schools (School of International Graduate Studies, Graduate School of Operations and Information Sciences, Graduate School of Engineering and Applied Sciences, and Graduate School of Business and Public Policy) and three Research Institutes (The Modeling, Virtual Environments, and Simulation (MOVES) Institute, Institute for Information Superiority and Innovation (I2SI), and Institute for Defense System Engineering and Analysis (IDSEA). This volume contains research summaries for the projects undertaken by faculty in the Department of Applied Mathematics during 2001. The summary also contains thesis abstracts for those students advised by Applied Mathematics faculty during 2001.

Questions about particular projects may be directed to the faculty Principal Investigator listed, the Department Chair, or the Department Associate Chair for Research. Questions may also be directed to the Office of the Associate Provost and Dean of Research. General questions about the Naval Postgraduate School Research Program should be directed to the Office of the Associate Provost and Dean of Research at (831) 656-2099 (voice) or [research@nps.navy.mil](mailto:research@nps.navy.mil) (e-mail). Additional information is also available at the RESEARCH AT NPS website, <http://web.nps.navy.mil/~code09/>

Additional published information on the Naval Postgraduate School Research Program can be found in:

- *Compilation of Theses Abstracts:* A quarterly publication containing the abstracts of all unclassified theses by Naval Postgraduate School students.
- *Naval Postgraduate School Research:* A tri-annual (February, June, October) newsletter highlighting Naval Postgraduate School faculty and student research.
- *Summary of Research:* An annual publication containing research summaries for projects undertaken by the faculty of the Naval Postgraduate School.

This publication and those mentioned above can be found on-line at:  
<http://web.nps.navy.mil/~code09/publications.html>.

# INTRODUCTION

---

The research program at the Naval Postgraduate School exists to support the graduate education of our students. It does so by providing military relevant thesis topics that address issues from the current needs of the Fleet and Joint Forces to the science and technology that is required to sustain the long-term superiority of the Navy/DoD. It keeps our faculty current on Navy/DoD issues, and maintains the content of the upper division courses at the cutting edge of their disciplines. At the same time, the students and faculty together provide a very unique capability within the DoD for addressing warfighting problems. Our officers must be able to think innovatively and have the knowledge and skills that will let them apply technologies that are being rapidly developed in both the commercial and military sectors. Their unique knowledge of the operational Navy, when combined with a challenging thesis project that requires them to apply their focused graduate education, is one of the most effective methods for both solving Fleet problems and instilling the life-long capability for applying basic principles to the creative solution of complex problems.

The research program at the Naval Postgraduate School consists of both reimbursable (sponsored) and institutionally funded research. The research varies from very fundamental to very applied, from unclassified to all levels of classification.


- **Reimbursable (Sponsored) Program:** This program includes those projects externally funded on the basis of proposals submitted to outside sponsors by the School's faculty. These funds allow the faculty to interact closely with RDT&E program managers and high-level policymakers throughout the Navy, DoD, and other government agencies as well as with the private sector in defense-related technologies. The sponsored program utilizes Cooperative Research and Development Agreements (CRADAs) with private industry, participates in consortia with government laboratories and universities, provides off-campus courses either on-site at the recipient command, by VTC, or web-based, and provides short courses for technology updates.
- **Naval Postgraduate School Institutionally Funded Research (NIFR) Program:** The institutionally funded research program has several purposes: (1) to provide the initial support required for new faculty to establish a Navy/DoD relevant research area, (2) to provide support for major new initiatives that address near-term Fleet and OPNAV needs, (3) to enhance productive research that is reimbursably sponsored, and (4) to cost-share the support of a strong post-doctoral program.

In 2001, the level of research effort overall at the Naval Postgraduate School was 148 faculty work years and exceeded \$48 million. The reimbursable program has grown steadily to provide the faculty and staff support that is required to sustain a strong and viable graduate school in times of reduced budgets. In FY2001, over 93% of the research program was externally supported. A profile of the sponsorship of the Naval Postgraduate School Research Program in FY2001 is provided in Figure 1.

---


## INTRODUCTION

---



**Figure 1. Profile of NPS Research and Sponsored Programs (\$52M)**

The Office of Naval Research is the largest Navy external sponsor. The Naval Postgraduate School also supports the Systems Commands, Warfare Centers, Navy Labs and other Navy agencies. A profile of external Navy sponsorship for FY2001 is provided in Figure 2.



**Figure 2. Navy External Sponsors of NPS Research and Sponsored Programs (\$29M)**

These are both challenging and exciting times at the Naval Postgraduate School and the research program exists to help ensure that we remain unique in our ability to provide education for the warfighter.

DAVID W. NETZER  
Associate Provost and Dean of Research

September 2002



**DEPARTMENT OF  
APPLIED MATHEMATICS**

**MICHAEL A. MORGAN  
CHAIR**

---

## DEPARTMENT SUMMARY

---

### OVERVIEW:

The NPS Applied Mathematics Department is committed to excellence. Our purpose is to provide an exceptional mathematical education focused on the unique needs of our students, to produce relevant research for our sponsors, and to provide quality service to the community. We further are committed to maintenance of a well-designed curriculum and a supportive environment for our students.

### CURRICULA SUPPORTED:

- The majority of the departmental effort is devoted to the service courses offered which support a variety of curricula.

### DEGREES GRANTED:


- Master of Science in Applied Mathematics
- Doctor of Philosophy

### RESEARCH THRUSTS:

- Scientific Computation
- Control Theory
- Approximation
- Numerical Modeling

### RESEARCH PROGRAM (Research and Academic)-FY2001:

The Naval Postgraduate School's sponsored program exceeded \$49 million in FY2001. Sponsored programs include both research and educational activities funded from an external source. A profile of the sponsored program for the Department of Applied Mathematics is provided below.



Size of Program: \$271K

---

## FACULTY LISTING

---

Morgan, Michael S.  
Professor and Chair  
MA/Mw  
656-2206/2677  
[mmorgan@nps.navy.mil](mailto:mmorgan@nps.navy.mil)

Borges, Carlos  
Associate Professor and  
Associate Chair for Research  
MA/Bc  
656-2124  
[borges@nps.navy.mil](mailto:borges@nps.navy.mil)

Aissen, Michael  
Senior Lecturer  
MA/Am  
656-2714  
[maissen@nps.navy.mil](mailto:maissen@nps.navy.mil)

Frenzen, Chris  
Associate Professor  
MA/Fr  
656-2435  
[cfrenzen@nps.navy.mil](mailto:cfrenzen@nps.navy.mil)

Neta, Beny  
Professor  
MA/Nd  
656-2235  
[bneta@nps.navy.mil](mailto:bneta@nps.navy.mil)

Canright, David  
Associate Professor  
MA/Ca  
656-2782  
[dcanright@nps.navy.mil](mailto:dcanright@nps.navy.mil)

Gragg, William  
Professor  
MA/Gr  
656-2194  
[gragg@nps.navy.mil](mailto:gragg@nps.navy.mil)

Owen, Guillermo  
Professor  
MA/On  
656-2720  
[owen@nps.navy.mil](mailto:owen@nps.navy.mil)

Danielson, Donald  
Professor  
MA/Dd  
656-2622  
[dad@nps.navy.mil](mailto:dad@nps.navy.mil)

Jayachandran, Toke  
Professor  
MA/Jy  
656-2600  
[tj@nps.navy.mil](mailto:tj@nps.navy.mil)

Rasmussen, Craig  
Associate Professor  
MA/Ra  
656-2763  
[ras@nps.navy.mil](mailto:ras@nps.navy.mil)

Fahroo, Fariba  
Associate Professor  
MA/Ff  
656-2664  
[ffahroo@nps.navy.mil](mailto:ffahroo@nps.navy.mil)

Kang, Wei  
Associate Professor  
MA/Kw  
656-3337  
[wkang@nps.navy.mil](mailto:wkang@nps.navy.mil)

Scandrett, Clyde  
Professor  
MA/Sd  
656-2206/2027  
[cscand@nps.navy.mil](mailto:cscand@nps.navy.mil)

Fredricksen, Hal  
Professor  
MA/Fs  
656-3249  
[half@nps.navy.mil](mailto:half@nps.navy.mil)

Mansager, Bard  
Senior Lecturer  
MA/Ma  
656-2695  
[bardman@nps.navy.mil](mailto:bardman@nps.navy.mil)

Schoenstadt, Arthur  
Professor  
MA/Zh  
656-2662  
[alschoen@nps.navy.mil](mailto:alschoen@nps.navy.mil)

## PROJECT SUMMARIES

---

### TOTAL LEAST SQUARES FITTING OF ORDERED DATA WITH POLYNOMIAL SPLINES

Carlos F. Borges, Associate Professor

Department of Applied Mathematics

Sponsor: Unfunded

**OBJECTIVE:** To develop fast and numerically stable algorithms for fitting polynomial splines to ordered data with minimal error in the total least-squares sense.

**SUMMARY:** This unfunded effort is a continuing research project. The idea is to fit parametric polynomial spline curves to ordered data to get the best possible fit. Unlike traditional least-squares methods we assume that errors may occur in both the x and y directions. Moreover, we allow the data to be completely general - in particular, it does not have to be functional in nature, it may overlap itself or change directions without restriction. All that is required is an ordered set of points in the plane. A variety of different approaches have been investigated and some very fast and robust algorithms have been developed for solving the problem for a single Bezier curve. These algorithms have been extended to work with B-spline curves with general knot sequences. This past year a paper was submitted on this work to Computer Aided Geometric Design. The paper has been accepted and should appear in 2002.

#### PUBLICATIONS:

Borges, C.F. and Pastva, T.A., "Total Least Squares Fitting of Bézier and B-Spline Curves to Ordered Data," *Computer Aided Geometric Design*, Vol. 19, No. 4, pp. 275-289, 2002.

**DoD KEY TECHNOLOGY AREA:** Other (Scientific Computation)

**KEYWORDS:** Curve Fitting, Data Compression, Approximation Theory

### RESEARCH IN THE STRUCTURAL DYNAMIC RESPONSE OF THE RAH-66 COMMANCHE HELICOPTER

Donald A. Danielson, Professor

Department of Applied Mathematics

Sponsors: Comanche Program Office and Naval Postgraduate School

**OBJECTIVE:** Professor Danielson continued his work in support of ongoing development of the Army's RAH-66 *Comanche* helicopter. Two NPS thesis students supported him. This year he used a finite element code to predict the effects of an explosion inside the forward tailcone of the Comanche.

**SUMMARY:** The model was based on Comanche structural information from engineers Jason Firko and Mel Niederer, located at Boeing helicopters in Philadelphia. The MSC.Software code Patran was used as the pre and post processor, and the MSC.Software code Dytran as the computational engine. The Catia model was not suitable for meshing, but the geometry therein was transferred to a new group and became the basis for the model. With further study of copies of the large engineering drawings, a faithful replica of the Comanche tailcone was constructed. The final geometry consists of 56 surfaces and 10 solids. The tailcone structure is meshed with 25,261 Lagrangian elements (16,665 2-D shell elements plus 8,596 3-D solid elements) of edge length 1 inch. The fluid region is meshed with 22,113 3-D solid Eulerian elements of edge length 2 inches. The model has 5 different 2-D orthotropic materials, which are used to construct the laminate composites for the shell elements. It also uses an aluminum material for some shell elements. The vents' shell elements are modeled with an extremely weak material, so that the inner surface forms a closed volume (required in Dytran). A 3-D orthotropic material is assigned to the solid Lagrangian elements. Material properties of air are assigned to the Eulerian elements. Generic (unclassified) initial properties are used for the sphere containing the blast wave. A job was run and graphical results were inserted into the final report.

## PROJECT SUMMARIES

---

### PUBLICATIONS:

Danielson, D.A., "Comanche Tailcone Model Documentation," Naval Postgraduate School Report, sent to Boeing, 2001.

### THESIS DIRECTED:

Gorak, M. and Libby, J., "Finite Element Modeling of the RAH-66 Comanche Tailcone Section Using Patran and Dytran," Masters Thesis, Naval Postgraduate School, June 2001.

**DoD KEY TECHNOLOGY AREAS:** Air Vehicles, Modeling and Simulation

**KEYWORDS:** Helicopters, Airframes, Explosions, Computer Software

### EFFICIENT TRAJECTORY OPTIMIZATION

**Fariba Fahroo, Associate Professor**  
**Department of Applied Mathematics**  
**Sponsor: Draper Labs**

**OBJECTIVE:** The objectives of this research are to explore spectral patching techniques, their accuracy, and efficiency for solving both continuous and discontinuous trajectory optimization problems.

**SUMMARY:** This research produced a numerical method for solving complex trajectory optimization problems in a rapid manner. The spectral patching method developed advances the state of the art in trajectory optimization by providing solutions that are provably optimal. In this project, the spectral patching method was developed and implemented in MATLAB. A numerical package called DIDO, which was based on the numerical method was developed and a launch problem among other examples from astronautics were solved using the package.

**DoD KEY TECHNOLOGY AREAS:** Computing and Software, Space Vehicles, Modeling and Simulation

**KEYWORDS:** Spectral Patching Techniques, Trajectory Optimization

### DEPLETION LENGTHS IN SEMICONDUCTOR NANOSTRUCTURES

**Chris Frenzen, Associate Professor**  
**Department of Applied Mathematics**  
**James Luscombe, Professor**  
**Department of Physics**  
**Sponsor: Unfunded**

**OBJECTIVE:** In this research a formula for the depletion length in a cylindrical nanostructure was developed, and investigated in various asymptotic limits. It was shown that the standard formula for depletion lengths at a planar semiconductor interface underestimates the depletion length in nanostructures of finite radius.

**SUMMARY:** The depletion,  $W(R)$ , at the surface of a cylindrical nanostructure of radius  $R$  is calculated and shown to satisfy a certain inequality which bounds  $W(R)$  below by  $W_p$  and above by  $W_p$  times the square root of two, where  $W_p$  is the depletion length at a planar interface. The standard result  $W_p$  is shown to underestimate the depletion length in a finite structure. The discrepancy between  $W_p$  and  $W(R)$  becomes significant when the dimensions of the structure become comparable to the depletion length, as can occur in nanostructure devices. This work has been accepted for publication in the journal *Solid State* and will appear in 2002.

## PROJECT SUMMARIES

---

### PUBLICATIONS:

Frenzen, C., "Depletion Lengths in Semiconductor Nanostructures," *Solid State Electronics*, Vol. 46, pp. 885-889, 2002.

**DoD KEY TECHNOLOGY AREAS:** Manufacturing Science and Technology (MS&T)

**KEYWORDS:** Semiconductor Nanostructures, Depletion Length

### EFFICIENT NONLINEAR TRANSIENT DYNAMIC ANALYSIS FOR STRUCTURAL OPTIMIZATION USING AN EXACT INTEGRAL EQUATION FORMULATION

Joshua Gordis, Associate Professor  
Department of Mechanical Engineering  
Beny Neta, Professor  
Department of Applied Mathematics  
Sponsor: National Science Foundation

**OBJECTIVE:** The focus of this phase of the project is the development of an improved solution algorithm for fast transient analysis of large, locally nonlinear structures using time domain structural synthesis.

**SUMMARY:** Time domain structural synthesis is a general and exact formulation for transient problems in structural modification, substructure coupling, and base excitation. The formulation is characterized by the governing equation of the synthesis, which is a nonlinear Volterra integral equation. The governing equation makes use of impulse response functions calculated for those coordinates of the (sub) structures subjected to forces of synthesis (e.g. modification forces, coupling forces). This physical coordinate formulation provides for a largely unrestricted and exact model reduction, in that only those coordinates of interest need be retained in the synthesis. The development of several algorithms intended to improve upon the original algorithm developed by Gordis are documented.

The last algorithm developed meets the stated goals of the project. This algorithm is a newly developed recursive, block-by-block convolution solution to the governing nonlinear integral equation. As is demonstrated with a simple but realistically large nonlinear base excitation problem (51,500 DOF finite element model), the new algorithm provides a 78% reduction in time required for the nonlinear transient base excitation solution, as compared with traditional direct integration calculated using a widely-used commercial finite element program. This very large savings in computer time is obtained for a single analysis, i.e. assuming no prior calculations have been made for the impulse response functions of the (sub) structures. The new algorithm provides an even greater reduction in computer time for all subsequent analyses. As shown in the example problem, once all required impulse response functions have been calculated, the nonlinear base isolation solutions calculated using the new recursive, block-by-block convolution algorithm take approximately 7 seconds, as compared with the direct integration solution, which takes approximately 30 minutes. This rapid reanalysis capability will facilitate the development of numerical optimization for the design of nonlinear isolation.

**DoD KEY TECHNOLOGY AREAS:** Computing and Software, Modeling and Simulation

**KEYWORDS:** Finite Elements, Structural Synthesis, Convolution, Block-By-Block, Adaptive

## PROJECT SUMMARIES

---

### COORDINATED FORMATION AND ATTITUDE CONTROL OF MULTI-SATELLITE SYSTEMS

Wei Kang, Associate Professor

Department of Applied Mathematics

Sponsor: Air Force Research Laboratory and Naval Postgraduate School

**OBJECTIVE:** The objectives of the project are (1) design robust feedbacks that meet the needs of attitude control and coordination; (2) identify some attitude stabilization and attitude tracking problems that is useful for satellite formation missions; (3) selection of key parameters to build a perceptive frame; (4) reference projection design, and hybrid control architecture design for the purpose of coordinated control; (5) simulation and lab test of the control design.

**SUMMARY:** The PI visited AFRL on WPAFB three times to collaborate with the AFRL research team in this subject. The design algorithm based on perceptive frame developed in NPS and MSU is combined with an H-infinity optimal attitude controller to coordinate multiple satellites. Two conference papers and a journal paper from this project were published or accepted during October 2000-September 2001. One more journal paper was submitted.

#### PUBLICATIONS:

Kang, W., Xi, N. and Sparks, A., "Theory and Applications of Formation Control in a Perceptive Referenced Frame," *Proceedings IEEE Conference on Decision and Control*, Sydney, Australia, 12-15 December 2000.

Kang, W., Yeh, H.H. and Sparks, A., "Coordinated Control of Relative Attitude for Satellite Formation," *Proceedings AIAA Guidance, Navigation, and Control Conference*, 6-9 August 2001.

Kang, W. and Yeh, H.H., "Coordinated Attitude Control of Multi-Satellite Systems," *International Journal of Robust and Nonlinear Control*, Vol. 12, pp. 185-205, 2002.

Nelson, E., Sparks, A. and Kang, W., "Coordinated Nonlinear Tracking Control for Satellite Formations," *Proceedings AIAA Guidance, Navigation, and Control Conference*, 6-9 August 2001.

**DoD KEY TECHNOLOGY AREAS:** Computing and Software, Space Vehicles, Modeling and Simulation

**KEYWORDS:** Attitude Control

### VISIBLE SETS AND ITS MANUFACTURING APPLICATIONS

Wei Kang, Associate Professor

Department of Applied Mathematics

Sponsor: Ford Scientific Research Lab and Naval Postgraduate School

**OBJECTIVE:** The focus of this project for the year of 2001 is on the production planning based on information feedback. Mathematical model of production planning integrating both statistical data and IT based fast information feedback is developed.

**SUMMARY:** An index theory was developed for the proposed problem. It numerically interprets the visibility of each side of a mechanical part. Dynamical programming is applied with the index theory to minimize the number of sensor locations to inspect every surface of a mechanical part. Also funded by Ford Scientific Lab, the Robotics Lab of MSU is building up a system with robot arms, sensors and softwares. The theory developed in this project will be implemented in the lab, and the entire system will be tested using real auto parts from the sponsor.

## PROJECT SUMMARIES

---

### PUBLICATIONS:

Kang, W. and Song, M., "Manufacturing Planning Based on Information Feedback," *Proceedings 6th International Conference on Control, Automation, Robotics and Vision*, Singapore, 5-8 December 2000. (Best Paper Award, 6th International Conference on Control, Automation, Robotics and Vision, Singapore, 5-8 December 2000.)

**DoD KEY TECHNOLOGY AREAS:** Computing and Software, Manufacturing Science and Technology (MS&T)

**KEYWORDS:** Production Planning

### GALERKIN SPECTRAL SYNTHESIS METHODS

Beny Neta, Professor

Department of Applied Mathematics

Sponsor: Unfunded

**OBJECTIVE:** To develop existence and uniqueness theory for the energy dependent, steady state neutron diffusion equation with inhomogeneous oblique boundary conditions imposed. Also to develop a convergence theory for the Galerkin Spectral Synthesis Approximations.

**SUMMARY:** An existence and uniqueness theory is developed for the energy dependent, steady state neutron diffusion equation with inhomogeneous oblique boundary conditions imposed. Also, a convergence theory is developed for the Galerkin Spectral Synthesis Approximations which arise when trial functions depending only on energy are utilized. The diffusion coefficient, the total and scattering cross-sectional data are all assumed to be both spatially and energy dependent. Interior interfaces defined by spatial discontinuities in the cross-section data are assumed present. Our estimates are in a Sobolev-type norm, and our results show that the spectral synthesis approximations are optimal in the sense of being of the same order as the error generated by the best approximation to the actual solution from the subspace to which the spectral synthesis approximations belong.

**DoD KEY TECHNOLOGY AREAS:** Computing and Software

**KEYWORDS:** Galerkin, Spectral Synthesis, Diffusion

### ORBIT DETERMINATION

Beny Neta, Professor

Department of Applied Mathematics

Sponsor: Unfunded

**OBJECTIVE:** To develop a method for trajectory propagation that better reflects the energy consumption of the system.

**SUMMARY:** In this work a method was developed for the solution of the equations of motion of an object acted upon by several gravitational masses. In general, the motion can be described by a special class (for which  $y_0$  is missing) of second order initial value problems (IVPs).

$Y''(x) = f(x, y(x)), y(0) = y_0, y'(0) = y'_0.$

The numerical integration methods for this can be divided into two distinct classes:

- (a) problems for which the solution period is known (even approximately) in advance;
- (b) problems for which the period is not known.

Here only some methods of the second class were considered. Numerical methods of Runge-Kutta type as well as linear multi-step methods can be found in the literature. Our idea here is to develop a new method that conserves the energy per unit mass in the case of perturbation-free right and use the energy in



## PROJECT SUMMARIES

---

other cases to approximate the angular variation. The generalization to cases where the energy is not conserved is given. Numerical experiments for both cases were computed and the solution to well established methods was compared.

**DoD KEY TECHNOLOGY AREAS:** Computing and Software, Space Vehicles, Modeling and Simulation

**KEYWORDS:** Orbit Determination, Numerical Algorithms

**DEPARTMENT OF  
APPLIED MATHEMATICS**

**2001  
Faculty Publications  
and Presentations**

## PUBLICATIONS/PRESENTATIONS

---

### JOURNAL PAPERS

Fahroo, F. and Ross, I.M., "A Second Look at Approximating Differential Inclusions," *Journal of Guidance, Control and Dynamics*, Vol. 24, No. 1, pp. 131-133, 2001.

Fahroo, F. and Ross, I.M., "Costate Estimation by a Legendre Pseudospectral Method," *Journal of Guidance, Control and Dynamics*, Vol. 24, No. 2, pp. 270-277, 2001.

Gordis, J.H. and Neta, B., "Fast Transient Analysis for Locally Nonlinear Structures by Recursive Block Convolution," *ASME Journal of Vibrations and Acoustics*, Vol. 123, pp. 545-547, 2001.

Kaminer, I., Kang, W., Yakimenko, O. and Pascoal, A.M., "Application of Nonlinear Filtering to Navigation System Design Using Passive Sensors," *IEEE Transactions on Aerospace and Electronic Systems*, Vol. 37, pp. 158-172, 2001.

Kang, W., Sparks, A. and Banda, S., "Coordinated Control of Multi-Satellite Systems," *AIAA Journal of Guidance, Control and Dynamics*, Vol. 24, No. 2, pp. 360-368, 2001.

Knorr, J.B. and Neta, B., "Plotting Circularly Polarized Field Patterns Using Processed NEC 4 Output Files," *Applied Computational Electromagnetic Society Newsletter*, Vol. 16, No. 2, pp. 26-33, 2001.

### CONFERENCE PUBLICATIONS

Chang, D.E., Kang, W. and Krener, A.J., "Normal Forms and Bifurcations of Control Systems," *Proceedings of the IEEE Conference on Decision and Control*, Sydney, Australia, 12-15 December 2000.

Hamzi, B. and Kang, W., "Resonant Terms in a Class of Systems with Stationary Bifurcation," *Proceedings of the IEEE Conference on Decision and Control*, Orlando, FL, 4-7 December 2001.

Hamzi, B., Kang, W. and Barbot, J.P., "On the Control of Hopf Bifurcations," *Proceedings of the IEEE Conference on Decision and Control*, Sydney, Australia, 12-15 December 2000.

Kang, W. and Song, M., "Manufacturing Planning Based on Information Feedback," *Proceedings of the 6th International Conference on Control, Automation, Robotics and Vision*, Singapore, 5-8 December 2000.

Kang, W., Xi, N. and Sparks, A., "Theory and Applications of Formation Control in a Perceptive Referenced Frame," *Proceedings of the IEEE Conference on Decision and Control*, Sydney, Australia, 12-15 December 2000.

Kang, W., "Normal Forms, Invariants and Bifurcations of Nonlinear Control Systems," *Proceedings of the 3rd Workshop of Nonlinear Control Network, Bifurcation and Control*, Kloster Irsee, Germany, 1-3 April 2001.

Kang, W., Yeh, H. and Sparks, A., "Coordinated Control of Relative Attitude for Satellite Formation," *Proceedings of the AIAA Guidance, Navigation, and Control Conference*, 6-9 August 2001.

Nelson, E., Sparks, A. and Kang, W., "Coordinated Nonlinear Tracking Control for Satellite Formations," *Proceedings of the AIAA Guidance, Navigation, and Control Conference*, 6-9 August 2001.

Neta, B. and Ilan-Lipowski, Y., "A New Scheme for Trajectory Propagation," *Proceedings AIAA/AAS Astrodynamics Specialist Conference*, Quebec City, Quebec, Canada, Paper Number AAS 01-446, 31 July-3 August 2001.

---

## PUBLICATIONS/PRESENTATIONS

---

Ross, I.M., Yan, H. and Fahroo, F., "A Curiously Outlandish Problem in Orbital Mechanics," ASS/AIAA Astrodynamics Specialist Conference, Paper AAS 01-430, Quebec City, Quebec, Canada, 30 July-22 August 2001.

Ross, I.M. and Fahroo, F., "A Pseudospectral Transformation of the Covectors of Optimal Control Systems," *Proceedings of the First IFAC/IEEE Symposium on System Structure and Control*, Prague, Czech Republic, August 2001.

Ross, I.M. and Fahroo, F., "Convergence of Pseudospectral Discretizations of Optimal Control Problems," *Proceedings of the Fortieth Conference on Decision and Control*, Orlando, FL, December 2001.

Yan, H., Fahroo, F. and Ross, I. M., "Optimal Feedback Control Laws by Legendre Pseudospectral Approximations," *Proceedings of the American Control Conference 2001*, Arlington, VA, June 2001.

Xiao, M. and Kang, W., "Bifurcation Control Using Integral Averaging Method," *Proceedings of the IEEE Conference on Decision and Control*, Sydney, Australia, 12-15 December 2000.

## CONFERENCE PRESENTATIONS

Mansager, B., "A Combat Simulation Analysis of Autonomous Legged Underwater Vehicles," Second Joint Australian/American Conference on the Technologies of Mine Countermeasures, Randwick Army Barracks, Sydney, Australia.

Mansager, B., "The Utility of Fire and Forget Technology Demonstrated Using 1-meter Terrain," Sixty Ninth Military Operations Research Society Symposium, U.S. Naval Academy, Annapolis, MD.

## BOOKS

M. J. Holler and G. Owen, eds., *Power Indices and Coalition Formation*, Boston (Kluwer), 2001.

## CHAPTERS IN BOOKS

Owen, G., "Game Theory," *International Encyclopedia of the Social & Behavioral Sciences*, N.J. Smelser and Paul B. Baltes, eds., Pergamon, Oxford, pp. 5863-5868, 2001.

**DEPARTMENT OF  
APPLIED MATHEMATICS**

**Thesis Abstracts**

---

## THESIS ABSTRACTS

---

### AN ALGORITHM FOR ENUMERATING THE NEAR-MINIMUM WEIGHT $S$ - $T$ CUTS OF A GRAPH

Ahmet Balcioğlu-First Lieutenant, Turkish Army

B.S., Turkish Army Military Academy, 1993

Master of Science in Operations Research-December 2000

Advisors: R. Kevin Wood, Department of Operations Research

Craig W. Rasmussen, Department of Mathematics

Second Reader: Gerald G. Brown, Department of Operations Research

An algorithm for enumerating near-minimum weight  $s$ - $t$  cuts in directed and undirected graphs, with applications to network interdiction and network reliability is provided. "Near-minimum" means within a factor of  $1+\epsilon$  of the minimum for some  $\epsilon \geq 0$ . The algorithm is based on recursive inclusion and exclusion of edges in locally minimum-weight cuts identified with a maximum flow algorithm. A polynomial-time complexity result when  $\epsilon = 0$ , and for  $\epsilon > 0$  the demonstration of good empirical efficiency is proven. The algorithm is programmed in Java, run on a 733 MHz Pentium III computer with 128 megabytes of memory, and tested on a number of graphs. For example, all 274,550 near-minimum cuts within 10% of the minimum weight can be obtained in 74 seconds for a 627 vertex 2,450 edge unweighted graph. All 20,806 near-minimum cuts within 20% of minimum can be enumerated in 61 seconds on the same graph with weights being uniformly distributed integers in the range  $[1,10]$ .

**DoD KEY TECHNOLOGY AREA:** Computing and Software

**KEYWORDS:** Near-Minimum Cuts, Cut Enumeration, Minimum Cuts, Network Interdiction

### REVISITING THE BATTLE OF THE LITTLE BIG HORN

Matthew J. Burns-Lieutenant, United States Navy

B.S., Naval Postgraduate School, 2000

Master of Science in Defense Analysis-December 2000

Advisors: Gordon H. McCormick, Special Operations Academic Group

Bard Mansager, Department of Mathematics

The Battle of the Little Big Horn has captured the interest of historians, scholars, and military enthusiasts since the day that over 200 United States soldiers under General George Armstrong Custer's command were decimated by Crazy Horse and 2000 Indian warriors. Competing theories regarding the details of the battle have arisen, mostly due to conflicting first hand accounts.

The purpose of this thesis is twofold. The first purpose is to perform an historical analysis of the Battle of the Little Big Horn, using war-gaming. A series of controlled, comparative simulations of the battle will be carried out using the Synchronization Matrix, a war-gaming tool obtained from U.S. Army Field Manual (FM) 101-5. This analysis will evaluate three competing theories and interpretations of the battle, with the objective of categorizing the theories by degree of plausibility. The second purpose is to examine the impact of alternative notional leadership decisions on the outcome of the battle, e.g. what if Custer had not split his force? The result is a confirmation that war-gaming can indeed be utilized for the study of historical combat, as well as for future planning.

**DoD KEY TECHNOLOGY AREAS:** Other (Primitive Technology)

**KEYWORDS:** War-Gaming, Course of Action Analysis

---

## THESIS ABSTRACTS

---

### **LOSSLESS COMPRESSION USING BINARY NECKLACE CLASSES AND MULTIPLE HUFFMAN TREES**

**William L. Crowley, Jr.-Captain, United States Army  
B.S., Campbell University, 1991**

**Master of Science in Applied Mathematics-June 2001**

**Advisor: Harold M. Fredricksen, Department of Applied Mathematics**

**Second Reader: Craig W. Rasmussen, Department of Applied Mathematics**

In this thesis, we present two lossless compression approaches. Our Rotational Tree Approach (RTA) is based upon mathematics developed by Fredricksen. RTA uses the rotations associated with binary necklace classes to disperse source bit strings to a forest of Huffman encoding trees. Our Indexed Tree Approach (ITA) also uses a Huffman forest, but disperses bit strings via a simpler mechanism based upon the first few bits of each string. For text compression, we find RTA to be competitive with standard Huffman encoding while ITA is generally superior by a small margin of 1% - 3%. Both approaches owe their (limited) success to decreased modeling overhead as compared to standard Huffman encoding. Compression results against the Canterbury Corpus test suit and complete Java implementation code are included as appendices.

**DoD KEY TECHNOLOGY AREA:** Computing and Software

**KEYWORDS:** Lossless Data Compression, Discrete Mathematics, Analysis of Algorithms, Huffman coding, Rotational Tree, Index Tree

### **FINITE ELEMENT MODELING OF THE RAH-66 COMANCHE HELICOPTER TAILCONE SECTION USING PATRAN AND DYTRAN**

**Mark S. Gorak-Captain, United States Army  
B.S., Marquette University, 1991**

**Master of Science in Applied Mathematics-June 2001**

**and**

**Jeffrey A. Libby-Captain, United States Army  
B.S., United States Military Academy, 1991**

**Master of Science in Applied Mathematics-June 2001**

**Advisor: Donald A. Danielson, Department of Applied Mathematics**

The United States Army contracted Boeing-Sikorsky to develop the RAH-66 Comanche, a new, armed reconnaissance helicopter that features stealth technology designed to improve survivability when operating in hostile environments. Ballistic testing is required on any new technology, to include the Comanche, prior to fielding. Computer-based simulations are being employed to reduce the requirements for expensive live fire testing. This thesis uses computer programs called PATRAN and DYTRAN from MSC Software Corporation to build the model and simulate the effects of an explosive round detonating in the Comanche tailcone section. This thesis describes in great detail the process of creating and modifying the model in PATRAN to most accurately depict the Comanche tailcone section and creating the input decks for DYTRAN to run the analysis. A test case involving an explosion with a high amount of explosive energy, or specific internal energy (SIE) was simulated. From this test, several results are shown to display the capabilities of DYTRAN. These results, when compared with live fire data, can be used to validate the computer-based simulation in order to reduce the requirements of expensive live fire testing.

**DoD KEY TECHNOLOGY AREA:** Air Vehicles, Computing and Software, Materials, Processes, and Structures, Modeling and Simulation

**KEYWORDS:** Comanche, Ballistic Modeling, PATRAN, DYTRAN, Tailcone

---

## THESIS ABSTRACTS

---

### **A NUMERICAL STUDY OF FUEL-OPTIMAL LOW-EARTH-ORBIT MAINTENANCE**

**Lawrence E. Halbach-Major, United States Air Force**

**B.A.E.M., University of Minnesota, 1988**

**Master of Science in Astronautical Engineering-December 2000**

**Advisors: I. M. Ross, Department of Aeronautics and Astronautics**

**Fariba Fahroo, Department of Mathematics**

This thesis studies the fuel optimal periodic reboost profile required to maintain a spacecraft experiencing drag in low-earth-orbit (LEO). Recent advances in computational optimal control theory are employed, along with a Legendre-Gauss-Lobatto Pseudospectral collocation code developed at the Naval Postgraduate School, to solve the problem. Solutions obtained by this method are compared against a previous study. Key issues were checking the optimality of the solutions by way of the necessary conditions and the behavior of the solution to changes in the thruster size. The results confirmed Jensen's findings of propellant savings of one to five percent when compared against a middle altitude Forced Keplerian Trajectory (FKT). Larger savings are predicted if compared against a finite-burn Hohmann transfer with drag. The costates estimates compared favorable against necessary conditions of Pontryagin's Minimum Principle. Analysis of the switching function yielded periods of thrust-modulated arcs. The optimal thrust profile appears to be a thrust-modulated burn to raise the orbit followed by an orbital decay and a terminating thrust-modulated arc. For a sufficiently low thrust-control authority, the switching structure includes a maximum thrust arc. Indirect optimization techniques to confirm these findings were unsuccessful.

**DoD KEY TECHNOLOGY AREA:** Space Vehicles

**KEYWORDS:** Orbital Mechanics, Optimization, Optimal Control Theory, Orbit Maintenance

### **A COMPREHENSIVE STATISTICAL ANALYSIS OF SUBSTANCE ABUSE PATTERNS AND TRENDS WITHIN THE UNITED STATES ARMY**

**Kevin P. Romano-Captain, United States Army**

**B.S., University of Utah, 1992**

**Master of Science in Applied Mathematics-June 2001**

**Advisor: Toke Jayachandran, Department of Applied Mathematics**

**Second Reader: Lyn R. Whitaker, Department of Operations Research**

The United States Army's Center for Substance Abuse Programs relies on a broad based approach to combat substance abuse. Certain factors, however, have been associated with a soldier's involvement with substance abuse. They include age, race, gender, military occupation specialty, and rank.

A statistical analysis of recent drug and alcohol use/abuse patterns would permit the Army to target services and programs toward those most at risk for developing substance abuse related problems. Additionally, a model that could profile the typical enrollee into the Army's Substance Abuse Program, ASAP, would be a valuable predictive mechanism for future abuse trends within the Army.

This study supports the United States Army's Center for Substance Abuse Programs' efforts to improve the identification of those most at risk for substance abuse. This study provides a detailed statistical analysis on current substance abuse patterns within the United States Army and civilian society, and presents a mathematical model of ASAP enrollments.

**DoD KEY TECHNOLOGY AREAS:** Biomedical, Manpower, Personnel and Training

**KEYWORDS:** Substance Abuse, Alcoholism, Drug Abuse, DUI, DWI, United States Army, Cluster Analysis, Time Series



---

## THESIS ABSTRACTS

---

### COMPUTERIZED BALLISTIC MODELING OF THE COMANCHE TAILFAN SHROUD

Allen H. Stephan-Captain, United States Army

B.S., United States Military Academy, 1991

Master of Science in Aeronautical Engineering-December 2000

Advisors: E. Roberts Wood, Department of Aeronautics and Astronautics

Donald A. Danielson, Department of Mathematics

The U.S. Army has contracted Boeing-Sikorsky to develop the RAH-66 Comanche, a new, armed reconnaissance helicopter that features stealth technology designed to improve survivability when operating in hostile environments. Ballistic testing is required on the Comanche prior to fielding. Computer based simulations are being employed in order to reduce requirements for expensive live-fire testing. This thesis uses a computer program called Dytran from MacNeal-Schwendler to simulate the effects of an explosive round detonating in the Comanche tailfan shroud. Six test cases involving explosions with varying amounts of explosive energy, or specific internal energy, are evaluated. From these tests, a curve showing the percentage of structural failure versus the specific internal energy is plotted. Assuming that 20% structural failure of the model equates to a catastrophic failure, this analysis shows that the analyzed section of the Comanche tailfan shroud can withstand an explosion with a specific internal energy of  $2.58 \times 10^{10} \text{ in}^2/\text{sec}^2$ . Any potential threat rounds with specific internal energies greater than  $2.58 \times 10^{10} \text{ in}^2/\text{sec}^2$  will pose serious threats to the Comanche.

**DoD KEY TECHNOLOGY AREAS:** Air Vehicles, Materials, Processes and Structures, Modeling and Simulation

**KEYWORDS:** Comanche, Ballistic Modeling, Dytran, Tailfan Shroud

### ATTRACTOR BASINS OF VARIOUS ROOT-FINDING METHODS

Bart D. Stewart-Captain, U.S. Army

B.S., United States Military Academy, 1993

M.S., Troy State University, 1997

Master of Science in Applied Mathematics-June 2001

Advisor: David Canright, Department of Applied Mathematics

Second Reader: Carlos F. Borges, Department of Applied Mathematics

Real world phenomena commonly exhibit nonlinear relationships, complex geometry, and intricate processes. Analytic or exact solution methods only address a minor class of such phenomena. Consequently, numerical approximation methods, such as root-finding methods, can be used.

The goal is, by making use of a variety of root-finding methods (Newton-Raphson, Chebyshev, Halley and Laguerre), to gain a qualitative appreciation on how various root-finding methods address many prevailing real-world concerns, to include, how are suitable approximation methods determined; when do root finding methods converge; and how long for convergence?

Answers to the questions were gained through examining the basins of attraction of the root-finding methods. Different methods generate different basins of attraction. In the end, each method appears to have its own advantages and disadvantages.

**DoD KEY TECHNOLOGY AREA:** Computing and Software

**KEYWORDS:** Basin of Attraction, Numerical Methods, Complex Polynomials

---

## THESIS ABSTRACTS

---

### **REDUCING NON-MONOTONICITIES IN COMBAT MODELS**

**William C. Vinyard-Major, United States Marine Corps**

**B.A., University of Colorado, Boulder, 1988**

**Master of Science in Operations Research-September 2001**

**Advisors: Thomas W. Lucas, Department of Operations Research**

**Carlos F. Borges, Department of Mathematics**

**Paul J. Sanchez, Department of Operations Research**

Non-monotonic behavior in combat models is an important topic to those using the output of such models as a basis for decision making. These decisions can be complicated by non-monotonic behavior in the combat models. This paper examines the Dewar model which exhibits non-monotonic behavior caused by the chaos inherent in its structure. Previous papers have examined only small subsets of this 18 dimensional combat model. The combinatorial possibilities of main effects and interactions among the 18 dimensions are too great to examine en masse. Consequently, there are three goals. First, systematically explore the Dewar model for additional non-monotonic behavior. Second, determine the effect of stochastic modeling on the non-monotonic behavior of the Dewar model response surface. Third, develop a method for measuring non-monotonicity in the response surface generated by the model. Latin Hypercube Sampling discovers non-monotonicity across broad regions of the model's phase space, and in multiple measures of effectiveness. Stochastic perturbation of model parameters has a dramatic effect on the non-monotonicity of the response surface. Stochastic perturbation can both reduce and exacerbate the non-monotonic behavior of the response surface. If done properly, stochastic modeling can significantly improve the interpretability of the response surface.

**DoD KEY TECHNOLOGY AREAS:** Modeling and Simulation

**KEYWORDS:** Non-Monotonic Behavior in Combat Models, Dewar Model, Stochastic Perturbation, Latin Hypercube Sampling

### **MAGNETIC FIELD ESTIMATION USING OPTIMAL LOCATIONS OF NEAR FIELD SENSORS**

**Stacey W. Yopp-Lieutenant, United States Navy**

**B.S., United States Naval Academy, 1994**

**Master of Science in Applied Mathematics-June 2001**

**Advisor: Michael A. Morgan, Department of Applied Mathematics**

**Second Reader: Wei Kang, Department of Applied Mathematics**

The objective of this thesis is to theoretically investigate optimal placement of magnetic field sensors near the surface of a submarine in order to predict the magnetic field at a greater distance and reduce error in off board field predictions.

A steel spheroidal shell of uniform thickness with a distribution of magnetic dipoles on the center axis is used to model a submarine. The dipoles inside the shell and induced magnetization in the material of the shell both contribute to the magnetic fields everywhere in space. Computer simulations are preformed in two stages using Matlab programming. The first stage is to compute the magnetic fields using spherical harmonic expansions in each of the three regions. The expansion coefficients are found by enforcing continuity of the tangential fields and normal flux density at the inner and outer boundaries of the shell. The second stage of the simulation adds noise to the computed vector fields at the hypothetical sensors located just outside the shell and uses the noisy "measured" fields to estimate the expansion coefficients in the exterior region. The estimated coefficients are used to construct a predicted field at larger distances from the shell. Accuracy of this method is evaluated by comparison of the predicted and original computed fields.

**DoD KEY TECHNOLOGY AREAS:** Sensors, Surface/Under Surface Vehicles – Ships and Watercraft, Modeling and Simulation

**KEYWORDS:** Magnetic Signature, Spheroidal Magnetic Shell, Optimal Field Estimation

---

## INITIAL DISTRIBUTION

---

- |    |  |   |
|----|--|---|
| 1. | Defense Technical Information Center<br>8725 John J. Kingman Rd., Ste. 0944<br>Ft. Belvoir, VA 22060-6218                    | 2 |
| 2. | Dudley Knox Library, Code 013<br>Naval Postgraduate School<br>411 Dyer Rd.<br>Monterey, CA 93943-5101                        | 2 |
| 3. | Associate Provost and Dean of Research<br>Code 09<br>Naval Postgraduate School<br>Monterey, CA 93943-5138                    | 2 |
| 4. | Chair<br>Department of Applied Mathematics<br>Naval Postgraduate School<br>Monterey, CA 93940-5000                           | 5 |
| 5. | Associate Chair for Research<br>Department of Applied Mathematics<br>Naval Postgraduate School<br>Monterey, CA 93940-5000    | 5 |
| 6. | Dean, Graduate School of Engineering and Applied Sciences<br>Code 07<br>Naval Postgraduate School<br>Monterey, CA 93940-5000 | 1 |
| 7. | Provost and Academic Dean<br>Code 01<br>Naval Postgraduate School<br>Monterey, CA 93943-5000                                 | 1 |